

DETAILED ACTION

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with John Daniluck on 5/18/2010.

The application has been amended as follows:

Claim 42 depends on Claim 41, therefore Claim 42 reads:

"42. The apparatus of claim 41 wherein the angular offset is more than about 24 degrees and less than about 32 degrees. "

Any inquiry concerning this communication or earlier communications from the examiner should be directed to RAMYA PRAKASAM whose telephone number is (571)272-6011. The examiner can normally be reached on Monday - Thursday, 9am - 6pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gene Crawford can be reached on (571)272-6911. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Gene Crawford/
Supervisory Patent Examiner, Art
Unit 3651

5/19/2010
RGP